Forest Science

Volume 22, 1976

William K. Ferrell — *Editor*

H. R. Glascock, Jr. — *Associate Editor*

Robert E. Buckman — *Associate Editor*

William P. Everard — *Staff Editor*

Nancy Hill — *Business Manager*

FOREST SCIENCE is published quarterly by the Society of American Foresters with the cooperation of forestry research and educational organizations.

The journal assumes no responsibility for the statements and opinions expressed by contributors. The editors cannot be responsible for loss or damage of manuscripts and accompanying matter.

Correspondence concerning manuscripts submitted for publication should be addressed to Dr. William K. Ferrell, School of Forestry, Oregon State University, Corvallis, Oregon 97331.

Other correspondence, including subscriptions, remittances, reprint orders, proof, and inquiries concerning the status of manuscripts accepted for publication should be addressed to the Society of American Foresters, 5400 Grosvenor Lane, Washington, D.C. 20014.

For all subscribers except members of the Society of American Foresters, subscription price, which includes any *Forest Science Monographs* issued during the year, is $20 per year postpaid for institutions in the U.S. ($21 for institutions in foreign countries) and $12 for nonmember individuals in the U.S. ($13 for nonmember individuals in foreign countries); for Society members the respective prices are $6 and $7. Missing issues covered by paid subscription will be replaced without charge if claim is made within 90 days after date of issue for addresses in the U.S. and Canada; elsewhere within 7 months. Otherwise payment of the single-issue price will be required.

The pages of FOREST SCIENCE are open to all qualified contributors. Preference will be given to papers dealing with (a) basic research, (b) research techniques and procedures, and (c) subjects fundamental to forestry such as forest soils, forest tree physiology, forest genetics, biometrics, theoretical forest economics, wood anatomy and chemistry, forest insects, and the diseases of forest trees. A charge of $40 per page to cover printing costs (but not editorial or distribution costs, or costs of reprints) will be made against the author or his agency.

Published by the
SOCIETY OF AMERICAN FORESTERS
5400 Grosvenor Lane
Washington, D.C. 20014

Table of Contents, Volume 22

Number 1, March 1976

Time trends in genetic control of height growth in ponderosa pine ..... *G. Namkoong, M. T. Conkle* 2

Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius* ..... *Donald H. Marx* 13

Genotype × fertilizer interactions in slash pine: variation in phosphate (^{32}P) incorporation ..... *S. T. Jahromi, W. H. Smith, R. E. Goddard* 21

Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska .. *John L. Troth, Frederick J. Deneke, Lloyd M. Brown* 33

Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine ..... *J. O. Klemmedson* 45

Hydrophobicity in the soils of Findley Lake, Washington ..... *Michael J. Singer, F. C. Ugolini* 54

Bias in the contagion analog to fire spread ..... *William G. O'Regan, Peter Kourtz, Shirley Nozaki* 61

Maximum average annual volume for managed stands .. *Mark R. Lembersky* 69

Five-year volume increment from nitrogen fertilization in thinned plantations of pole-size loblolly pine .. *Carol G. Wells, D. M. Crutchfield, I. F. Trew* 85

Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pisolithus tinctorius* ..... *Donald H. Marx, William C. Bryan, Charles E. Cordell* 91

Notes

A note on inflation and forest investments ..... *Warren A. Flick* 30

Tree volume table growth relationships possibly affected by fertilization ..... *James W. Flewelling, Yong Chi Yang* 58

Chemicals in vapors of smoldering wood fires ..... *William R. Mallory, Wayne P. Van Meter* 81

Spatial attack pattern of a western Washington Douglas-fir beetle population ..... *R. L. Hedden, R. I. Gara* 100

Reviews

Tropical ecological systems: trends in terrestrial and aquatic research. *Reviewed by Frank H. Wadsworth* 84

Fire and ecosystems. *Reviewed by Leslie A. Viereck* 103

Methods of studying plant water relations. *Reviewed by Merrill R. Kaufmann* 104

Number 2, June 1976

Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer ..... *Edward J. Dimock II, Roy R. Silen, Virgil E. Allen* 106

Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat ..... *Richard N. Conner, Curtis S. Adkisson* 122

Quantitative evaluation of site potential for spruce and fir in Newfoundland .. *G. Page* 131

Mycoplasmalike organism found in the phloem of bunch-diseased walnuts ..... *Carl E. Seliskar* 144

Maturation of Shumard and white oak acorns ..... *F. T. Bonner* 149

Self-pollination effects on seed and seedling traits in noble fir ..... *Frank C. Sorensen, Jerry F. Franklin, Robert Woollard* 155

Nutrient gains to adjacent ecosystems during a forest fire: an evaluation ..... *James L. Clayton* 162

Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings ..... *Roger Timmis, Yasuomi Tanaka* 167

Specification of density for the inverse J-shaped diameter distribution ..... *John W. Moser, Jr.* 177

Within-tree variation of monoterpene composition and yield in slash pine clones and families ..... *E. C. Franklin* 185

Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes ..... *D. F. Grigal, L. F. Ohmann, R. B. Brander* 195

Genotype × fertilizer interactions in slash pine: growth and nutrient relations ..... *S. T. Jahromi, R. E. Goddard, W. H. Smith* 211

Epiphytology of a needle cast fungus, *Lophodermella morbida*, in ponderosa pine plantations in western Oregon ..... *George M. Harvey* 223

Notes

Quantitative aspects of the association of *Cenococcum graniforme* with *Fagus grandifolia* in Indiana ..... *Byron P. Hollett, M. T. Jackson* 127

Correlations between branch characteristics and production of female strobili in longleaf pine ..... *R. J. Varnell* 159

Approximate sampling variance of adjusted 3P estimates ..... *L. R. Grosenbaugh* 173

A note on the interdependence of stand structure and best stocking in a selection forest ..... *Darius M. Adams* 180

Pycnometer method for obtaining wood and bark chip densities ..... *Marianne L. Harder* 191

Stem sway affects ring width and compression wood formation in exposed root bases ..... *D. C. F. Fayle* 193

Relationship between black locust seedling age and induction of cold hardiness ..... *Gregory N. Brown, James A. Bixby* 208

Diameter measurement in the line intersect method ..... *C. E. Van Wagner, A. L. Wilson* 230

Comment on note by L. R. Grosenbaugh "Approximate sampling variance of adjusted 3P estimates" ..... *Hans T. Schreuder* 176

Manuscript reviewers, 1975 220

Review

Forest energy and economic development. *Reviewed by J. D. Brodie* 222

Number 3, September 1976

The effect of chronic ozone exposures on the metabolite content of ponderosa pine seedlings ..... *David T. Tingey, Raymond G. Wilhour, Carol Standley* 234

Control theory and the optimum timber rotation ..... *F. J. Anderson* 242

Relationship between crown growth and annual xylem sheath development in loblolly pine saplings ..... *Julian R. Beckwith, III, Lois S. Shackelford* 247

Epicotyl and hypocotyl germination of eastern redcedar and Rocky Mountain juniper ..... *Karim Djavanshir, Gilbert H. Fechner* 261

Temperature distribution around synthetic trees during grass fires ..... *B. R. Tunstall, J. Walker, A. M. Gill* 269

Thermal efficiency: a possible determinant of height growth potential in young loblolly pines ..... *William D. Boyer* 279

Segmented polynomial regression applied to taper equations ..... *Timothy A. Max, Harold E. Burkhart* 283

Family variation in growth response of loblolly pine to fertilizing with urea ..... *J. H. Roberds, G. Namkoong, C. B. Davey* 291

Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria — *L. Chelunor Nwoboshi* 301

An analysis of forest dynamics in the northern Georgia Piedmont — *W. Carter Johnson, David M. Sharpe* 307

Snowpack influences on dead fuel moisture — *Bruce P. McCammon* 323

Development of loblolly pine in dense stands — *William R. Harms, O. Gordon Langdon* 331

Intensive culture of American sycamore in the Ohio River Valley — *Bruce W. Wood, Stanley B. Carpenter, Robert F. Wittwer* 338

Leaf water potential in planted ponderosa and lodgepole pines — *V. C. Baldwin, C. W. Barney* 344

Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings — *Charles R. Berry, Donald H. Marx* 351

Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring — *C. A. Federer* 359

Indicators of *Fomes annosus* root decay and bark beetle susceptibility in sapling white fir — *George T. Ferrell, Richard S. Smith, Jr.* 365

Effects of freezing conditions on boles of snow gum — *E. W. Pook, T. Hall* 370

Notes

Increasing fusiform rust resistance by intraspecific hybridization — *H. R. Powers, Jr., H. J. Duncan* 267

Root grafting of Port-Orford-cedar—an infection route for root rot — *Donald E. Gordon, Lewis F. Roth* 276

Tetraploid aspen production using unreduced pollen from triploid males — *Marianne Harder, Shirley Verhagen, Lawson Winton, Dean Einspahr* 329

Comment on paper by Warren A. Flick, "A note on inflation and forest investments" — *W. David Klemperer* 342

Reply on comment by W. David Klemperer — *Warren A. Flick* 343

Reviews

Forest tree improvement—the third decade. Reviewed by R. F. Stettler 290

Introduction to forest genetics. Reviewed by Henry D. Gerhold 300

The economics of natural environments. Reviewed by Frank J. Convery 322

Notices

Advanced Study Institute on Statistical Modeling and Sampling for Ecological Abundance and Diversity with Applications 289

The Eunice Rockwell Oberly Memorial Award 299

Catalog of energy-related books and monographs 358

Number 4, December 1976

Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential — *Joe B. Zaerr, H. Richard Holbo* 378

Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchard — *Richard A. Goyer, Lothar H. Nachod* 386

Distribution of ectomycorrhizae in a mature Douglas-fir/larch forest soil in western Montana — *A. E. Harvey, M. J. Larsen, M. F. Jurgensen* 393

Effects of fire on pine and pine-hardwood forests in the southern Appalachians — *Lawrence S. Barden, Frank W. Woods* 399

Colonization of wood disks initiated by basidiospores of *Phellinus weirii* (laminated root rot) ..... *Earl E. Nelson* 407

Methods for determining the number of leaf-clusters on sugar maple ..... *D. C. Allen* 412

A goal programming model to guide and evaluate tree improvement programs ..... *Richard Lee Porterfield* 417

Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatments ..... *Robert A. Zabel* 431

Simulation of forest tree mortality ..... *Robert A. Monserud* 438

Growth analysis of pitch pine seedlings under three temperature regimes ..... *R. E. Good, N. F. Good* 445

Growth and yield of close-spaced, young hybrid poplars ..... *T. W. Bowersox, W. W. Ward* 449

Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine ..... *David L. Bramlett, Roger P. Belanger* 461

Variation of starch content among and within roots of red and white oak trees ..... *Philip M. Wargo* 468

Pollination ecology of three Rocky Mountain dwarf mistletoes ..... *Frederick B. Penfield, Robert E. Stevens, Frank G. Hawksworth* 473

Comparative response of four southern pine species to fertilization: Effects of P, NP, and NPKMgS applied at planting ..... *G. W. Bengtson* 487

Notes

Regression problems from repeated measurements ..... *Alfred D. Sullivan, Marion R. Reynolds, Jr.* 382

Discoloration and decay associated with pruning wounds on yellow birch ..... *Dale S. Solomon, Alex L. Shigo* 391

Longleaf pine half-sib progeny test ..... *O. O. Wells, E. B. Snyder* 404

Simple competition indices and their correlation with annual loblolly pine tree growth ..... *Richard F. Daniels* 454

An expression for the effect of aspect, slope, and habitat type on tree growth ..... *A. R. Stage* 457

Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees ..... *Desmond E. Smith, Alex L. Shigo, L. O. Safford, Robert Blanchard* 471

Differences in budbreak between shade-grown and open-grown oak seedlings ..... *Charles E. McGee* 484

Reviews

Insects that feed on trees and shrubs, an illustrated practical guide. *Reviewed by David E. Leonard* 437

Mangrove vegetation. *Reviewed by A. Malcolm Gill* 444

Key-word index 495

Author index 506

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION		2. DATE OF FILING
Forest Science		September 22, 1976
3. FREQUENCY OF ISSUE	A. NO. OF ISSUES PUBLISHED ANNUALLY	B. ANNUAL SUBSCRIPTION PRICE
Quarterly	4	Individuals-$12-U.S. $13-Foreign Institutions-$20-U.S. $21-Foreign

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*

5400 Grosvenor Lane, Washington, D.C. 20014

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*

5400 Grosvenor Lane, Washington, D.C. 20014

6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and Address)*

Society of American Foresters 5400 Grosvenor Lane, Washington, D.C. 20014

EDITOR *(Name and Address)*

William K. Ferrell Dept. of Forestry, Oregon State Univ., Corvallis, Oregon 97331

MANAGING EDITOR *(Name and Address)*

None

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)*

NAME	ADDRESS
Society of American Foresters	5400 Grosvenor Lane, Washington, D.C. 20014

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, PSM)*

The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

[X] HAVE NOT CHANGED DURING PRECEDING 12 MONTHS [ ] HAVE CHANGED DURING PRECEDING 12 MONTHS *(If changed, publisher must submit explanation of change with this statement.)*

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	1,881	1,900
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTIONS	1,528	1,603
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	1,528	1,603
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	12	12
E. TOTAL DISTRIBUTION *(Sum of C and D)*	1,540	1,615
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	341	285
2. RETURNS FROM NEWS AGENTS		
G. TOTAL *(Sum of E, F1 and 2—should equal net press run shown in A)*	1,881	1,900

11. I certify that the statements made by me above are correct and complete.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Murray Hill Business Manager

12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES *(Section 132.121, Postal Service Manual)*

39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."

In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the phased postage rates presently authorized by 39 U. S. C. 3626.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Murray Hill Business Manager

Key-Word Index

Abies balsamea
Quantitative evaluation of site potential for spruce and fir in Newfoundland. **22:131**
Abies concolor
Indicators of *Fomes annosus* root decay and bark beetle susceptibility in sapling white fir. **22:365**
Abies procera
Self-pollination effects on seed and seedling traits in noble fir. **22:155**
Acer saccharum
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
Method of determining the number of leaf-clusters on sugar maple. **22:412**
Acer spicatum
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
acorn maturation
Maturation of Shumard and white oak acorns. **22:149**
air pollution
The effect of chronic ozone exposures on the metabolite content of ponderosa pine seedlings. **22:234**
Alaska upland stands
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. **22:33**
allometry
Growth analysis of pitch pine seedlings under three temperature regimes. **22:445**
Method of determining the number of leaf-clusters on sugar maple. **22:412**
Alnus crispa
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
***Amelanchier* spp.**
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
American beech (*see Fagus grandifolia*)
American sycamore (*see Platanus occidentalis*)
analog
Bias in the contagion analog to fire spread. **22:61**
animal damage control
Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**
Arceuthobium
Pollination ecology of three Rocky Mountain dwarf mistletoes. **22:473**
aspect
An expression for the effect of aspect, slope, and habitat type on tree growth. **22:457**
aspen (*see Populus tremuloides*)

balsam fir (*see Abies balsamea*)
bark beetles
Indicators of *Fomes annosus* root decay and bark beetle susceptibility in sapling white fir. **22:365**
bark density
Pycnometer method for obtaining wood and bark chip densities. **22:191**
basal area
Specification of density for the inverse J-shaped diameter distribution. **22:177**
basidiocarp development
Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatment. **22:431**
basidiospores
Colonization of wood disks initiated by basidiospores of *Phellinus weirii* (laminated root rot). **22:407**
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius*. **22:13**
best economic stocking
A note on the interdependence of stand structure and best stocking in a selection forest. **22:180**
Betula
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
Betula alleghaniensis
Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatment. **22:431**
Discoloration and decay associated with pruning wounds on yellow birch. **22:391**
Betula papyrifera
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. **22:33**
bioelectronics
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
biomass
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
Growth analysis of pitch pine seedlings under three temperature regimes. **22:445**
Growth and yield of close-spaced, young hybrid poplar. **22:449**
Intensive culture of American sycamore in the Ohio River Valley. **22:338**
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
black locust (*see Robinia pseudoacacia*)
black spruce (*see Picea mariana*)
black-tailed deer (*see Odocoileus hemionus columbianus*)
black walnut (*see Juglans nigra*)
bole shrinkage
Effects of freezing conditions on boles of snow gum. **22:370**
branch characteristics
Correlations between branch characteristics and production of female strobili in longleaf pine. **22:159**
breeding
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**

brooms
Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**
budbreak
Differences in budbreak between shade-grown and open-grown oak seedlings. **22:484**
bunch disease
Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**
butternut (*see* ***Juglans cinerea***)

cambial zone
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
capital theory
Control theory and optimum timber rotation. **22:242**
carbon
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
Cenococcum graniforme
Quantitative aspects of the association of *Cenococcum graniforme* with *Fagus grandifolia* in Indiana. **22:127**
Chamaecyparis lawsoniana
Root grafting of Port-Orford-cedar—an infection route for root rot. **22:276**
chemistry (atmospheric)
Nutrient gains to adjacent ecosystems during a forest fire: an evaluation. **22:162**
Colaptes auratus
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
cold hardiness
Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings. **22:167**
Relationship between black locust seedling age and induction of cold hardiness. **22:208**
collar diameter
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
combustion products
Chemicals in vapors of smoldering wood fires. **22:81**
competition indices
Simple competition indices and their correlation with annual loblolly pine tree growth. **22:454**
compression wood
Stem sway affects ring width and compression wood formation in exposed root bases. **22:193**
cone loss
Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchard. **22:386**
conelets
Correlations between branch characteristics and production of female strobili in longleaf pine. **22:159**
containerized seedlings
Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings. **22:167**
correlated data
Regression problems from repeated measurements. **22:382**
Corylus cornuta
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
Cronartium fusiforme
Increasing fusiform rust resistance by intraspecific hybridization. **22:267**
crown competition factor
Specification of density for the inverse J-shaped diameter distribution. **22:177**
crown growth
Relationship between crown growth and annual xylem sheath development in loblolly pine saplings. **22:247**
crown influence
Relationship between crown growth and annual xylem sheath development in loblolly pine saplings. **22:247**
cubic volume
Development of loblolly pine in dense stands. **22:331**

decay
Discoloration and decay associated with pruning wounds on yellow birch. **22:391**
decisionmaking
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
Maximum average annual volume for managed stands. **22:69**
***Dendrocopos* spp.**
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
Dendroctonus pseudotsugae
Spatial attack pattern of a western Washington Douglas-fir beetle population. **22:100**
dendrometric measurements
Effects of freezing conditions on boles of snow gum. **22:370**
dense plantations
Growth and yield of close-spaced, young hybrid poplar. **22:449**
density
Pycnometer method for obtaining wood and bark chip densities. **22:191**
Specification of density for the inverse J-shaped diameter distribution. **22:177**
diameter
Development of loblolly pine in dense stands. **22:331**
diameter distribution
A note on the interdependence of stand structure and best stocking in a selection forest. **22:180**
Specification of density for the inverse J-shaped diameter distribution. **22:177**
diameter measurement
Diameter measurement in the line intersect method. **22:230**
differential measurement
Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential. **22:378**
differential response
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
diffusive resistance
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
***Dioryctria* spp.**
Loblolly pine conelet, cone, and seed losses to

insects and other factors in a Louisiana seed orchard. **22:386**
discoloration
Discoloration and decay associated with pruning wounds on yellow birch. **22:391**
discriminant function analysis
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
disease resistance
Increasing fusiform rust resistance by intraspecific hybridization. **22:267**
dormancy
Epicotyl and hypocotyl germination of eastern redcedar and Rocky Mountain juniper. **22:261**
Douglas-fir (*see* ***Pseudotsuga menziesii***)
Douglas-fir beetle (*see* ***Dendroctonus Pseudotsugae***)
downy woodpecker (see ***Dendrocopos* spp.**)
dry-matter yield
Development of loblolly pine in dense stands. **22:331**
Dryocopus pileatus
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
dwarf mistletoe (*see* ***Arceuthobium***)

eastern redcedar (*see* ***Juniperus virginiana***)
economic analysis
A goal programming model to guide and evaluate tree improvement programs. **22:417**
ecosystems
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
ectomycorrhizae
Distribution of ectomycorrhizae in a mature Douglas-fir/larch forest soil in western Montana. **22:393**
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius*. **22:13**
electrical resistance
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
electron microscope
Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**
elevation effects
Time trends in genetic control of height growth in ponderosa pine. **22:2**
endangered wildlife
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
English walnut (*see* ***Juglans regia***)
Entandrophragma angolense
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
epiphytology
Epiphytology of a needle cast fungus, *Lophodermella morbida*, in ponderosa pine plantations in western Oregon. **22:223**
Eucalyptus pauciflora
Effects of freezing conditions on boles of snow gum. **22:370**

Fagus grandifolia
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
Quantitative aspects of the association of *Cenococcum graniforme* with *Fagus grandifolia* in Indiana. **22:127**
family variance
Family variation in growth response of loblolly pine to fertilizing with urea. **22:291**
fertilizer
Family variation in growth response of loblolly pine to fertilizing with urea. **22:291**
Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine. **22:461**
fertilizer application
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
Five-year volume increment from nitrogen fertilization in thinned plantations of pole-size loblolly pine. **22:85**
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
Tree volume table growth relationships possibly affected by fertilization. **22:58**
fertilizer treatments
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
fiber production
Growth and yield of close-spaced, young hybrid poplar. **22:449**
fire behavior
Temperature distribution around synthetic trees during grass fires. **22:269**
fire configuration
Bias in the contagion analog to fire spread. **22:61**
fire damage
Temperature distribution around synthetic trees during grass fires. **22:269**
fire danger
Snowpack influences on dead fuel moisture. **22:323**
fire detection
Chemicals in vapors of smoldering wood fires. **22:81**
fire effects
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
Nutrient gains to adjacent ecosystems during a forest fire: an evaluation. **22:162**
fire spread
Bias in the contagion analog to fire spread. **22:61**
fire temperature distribution
Temperature distribution around synthetic trees during grass fires. **22:269**
flicker (*see* ***Colaptes auratus***)
flowering
Correlations between branch characteristics and production of female strobili in longleaf pine. **22:159**
Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine. **22:461**

foliage analysis
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
foliage disease
Epiphytology of a needle cast fungus, *Lophodermella morbida*, in ponderosa pine plantations in western Oregon. **22:223**
Fomes annosus
Indicators of *Fomes annosus* root decay and bark beetle susceptibility in sapling white fir. **22:365**
forest damage
Epiphytology of a needle cast fungus, *Lophodermella morbida*, in ponderosa pine plantations in western Oregon. **22:223**
forest dynamics
An analysis of forest dynamics in the northern Georgia Piedmont. **22:307**
forest economics
A note on inflation and forest investments. **22:30**
forest fertilization
Genotype × fertilizer interactions in slash pine: variation in phosphate (^{32}P) incorporation. **22:21**
forest fire
Nutrient gains to adjacent ecosystems during a forest fire: an evaluation. **22:162**
Temperature distribution around synthetic trees during grass fires. **22:269**
forest floor
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
forest investments
A note on inflation and forest investments. **22:30**
forest management
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
Maximum average annual volume for managed stands. **22:69**
A note on inflation and forest investments. **22:30**
forest measurement
Segmented polynomial regression applied to taper equations. **22:283**
forest nutrition
Nutrient gains to adjacent ecosystems during a forest fire: an evaluation. **22:162**
forest soil
Distribution of ectomycorrhizae in a mature Douglas-fir/larch forest soil in western Montana. **22:393**
Hydrophobicity in the soils of Findley Lake, Washington. **22:54**
forest tree mortality
Simulation of forest tree mortality. **22:438**
freezing effects
Effects of freezing conditions on boles of snow gum. **22:370**
fuel moisture
Snowpack influences on dead fuel moisture. **22:323**
fungal symbiont
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius*. **22:13**
fungus disease
Epiphytology of a needle cast fungus, *Lophodermella morbida*, in ponderosa pine plantations in western Oregon. **22:223**
fusiform rust resistance
Increasing fusiform rust resistance by intraspecific hybridization. **22:267**

gehunohor (*see Entandrophragma angolense*)
genetic resistance
Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**
genetic variation
Time trends in genetic control of height growth in ponderosa pine. **22:2**
Within-tree variation of monoterpene composition and yield in slash pine clones and families. **22:185**
genetics
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
Genotype × fertilizer interactions in slash pine: variation in phosphate (^{32}P) incorporation. **22:21**
A goal programming model to guide and evaluate tree improvement programs. **22:417**
Growth and yield of close-spaced, young hybrid poplar. **22:449**
genotype-fertilizer interaction
Family variation in growth response of loblolly pine to fertilizing with urea. **22:291**
geographic variation
Longleaf pine half-sib progeny test. **22:404**
Time trends in genetic control of height growth in ponderosa pine. **22:2**
germination
Epicotyl and hypocotyl germination of eastern redcedar and Rocky Mountain juniper. **22:261**
Gnophothrips fuscus
Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchard. **22:386**
goal programming model
A goal programming model to guide and evaluate tree improvement programs. **22:417**
grass fire
Temperature distribution around synthetic trees during grass fires. **22:269**
growth
Correlations between branch characteristics and production of female strobili in longleaf pine. **22:159**
Development of loblolly pine in dense stands. **22:331**
An expression for the effect of aspect, slope, and habitat type on tree growth. **22:457**
Family variation in growth response of loblolly pine to fertilizing with urea. **22:291**
Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine. **22:461**
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Growth and yield of close-spaced, young hybrid poplar. **22:449**
Seasonal dynamics of tall shrubs in northeast-

ern Minnesota: biomass and nutrient element changes. **22:195**

Simple competition indices and their correlation with annual loblolly pine tree growth. **22:454**

Tree volume table growth relationships possibly affected by fertilization. **22:58**

growth analysis

Growth analysis of pitch pine seedlings under three temperature regimes. **22:445**

growth rates

Relationship between black locust seedling age and induction of cold hardiness. **22:208**

habitat type

An expression for the effect of aspect, slope, and habitat type on tree growth. **22:457**

hairy woodpecker (*see* ***Dendrocopos*** **spp.**)

Hamiltonian function

Control theory and optimum timber rotation. **22:242**

hardwood seedling grades

Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**

heat partitioning

Temperature distribution around synthetic trees during grass fires. **22:269**

height growth

Development of loblolly pine in dense stands. **22:331**

Thermal efficiency: a possible determinant of height growth potential in young loblolly pines. **22:279**

Time trends in genetic control of height growth in ponderosa pine. **22:2**

heptane displacement

Pycnometer method for obtaining wood and bark chip densities. **22:191**

heritability

Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**

Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**

histochemical technique

Variation of starch content among and within roots of red and white oak trees. **22:468**

host colonization

Spatial attack pattern of a western Washington Douglas-fir beetle population. **22:100**

hybrid poplar

Growth and yield of close-spaced, young hybrid poplar. **22:449**

hybridization

Increasing fusiform rust resistance by intraspecific hybridization. **22:267**

Tetraploid aspen production using unreduced pollen from triploid males. **22:329**

hydrophobicity

Hydrophobicity in the soils of Findley Lake, Washington. **22:54**

idigbo (*see* ***Terminalia ivorensis***)

inbreeding

Self-pollination effects on seed and seedling traits in noble fir. **22:155**

increment

Tree volume table growth relationships possibly affected by fertilization. **22:58**

index of dispersion

Spatial attack pattern of a western Washington Douglas-fir beetle population. **22:100**

Inonotus obliquus

Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatment. **22:431**

intensive culture

Intensive culture of American sycamore in the Ohio River Valley. **22:338**

Japanese walnut (*see* ***Juglans sieboldiana***)

Juglans cinerea

Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**

Juglans mandshurica

Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**

Juglans nigra

Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**

Juglans regia

Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**

Juglans sieboldiana

Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**

Juniperus scopulorum

Epicotyl and hypocotyl germination of eastern redcedar and Rocky Mountain juniper. **22:261**

Juniperus virginiana

Epicotyl and hypocotyl germination of eastern redcedar and Rocky Mountain juniper. **22:261**

Khaya ivorensis

Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**

laminated root rot (*see* ***Phellinus weirii***)

land use

An analysis of forest dynamics in the northern Georgia Piedmont. **22:307**

larch (*see* ***Larix occidentalis***)

Larix occidentalis

Distribution of ectomycorrhizae in a mature Douglas-fir/larch forest soil in western Montana. **22:393**

Laspeyresia **spp.**

Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchid. **22:386**

leaf-clusters

Method of determining the number of leaf-clusters on sugar maple. **22:412**

leaf development

Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**

leaf water potential

Leaf water potential in planted ponderosa and lodgepole pines. **22:344**

Leptoglossus corculus

Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchard. **22:386**

Lepus americanus

Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**

lightning fires

Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**

line intersect sampling

Diameter measurement in the line intersect method. **22:230**

linear variable differential transformer (LVDT)
Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential. **22:378**
litter properties
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. **22:33**
loblolly pine (see ***Pinus taeda***)
lodgepole pine (*see* ***Pinus contorta***)
logging residue
Diameter measurement in the line intersect method. **22:230**
logistic function
Simulation of forest tree mortality. **22:438**
longleaf pine (*see* ***Pinus palustris***)
Lophodermella morbida
Epiphytology of a needle cast fungus, *Lophodermella morbida,* in ponderosa pine plantations in western Oregon. **22:223**

managed stands
Maximum average annual volume for managed stands. **22:69**
Manchurian walnut (*see* ***Juglans mandshurica***)
Markov process
Maximum average annual volume for managed stands. **22:69**
mathematical programming
A goal programming model to guide and evaluate tree improvement programs. **22:417**
metabolite content
The effect of chronic ozone exposures on the metabolite content of ponderosa pine seedlings. **22:234**
methanol
Chemicals in vapors of smoldering wood fires. **22:81**
model
Bias in the contagion analog to fire spread. **22:61**
A goal programming model to guide and evaluate tree improvement programs. **22:417**
monoterpene composition
Within-tree variation of monoterpene composition and yield in slash pine clones and families. **22:185**
Monte Carlo simulation
Approximate sampling variance of adjusted 3P estimates. **22:173**
mortality
Development of loblolly pine in dense stands. **22:331**
mortality prediction
Simulation of forest tree mortality. **22:438**
multiple regression
Quantitative evaluation of site potential for spruce and fir in Newfoundland. **22:131**
multivariate technique
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
mycorrhizae
Quantitative aspects of the association of *Cenococcum graniforme* with *Fagus grandifolia* in Indiana. **22:127**
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius.* **22:13**

Nauclea diderrichii
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
needle cast fungus
Epiphytology of a needle cast fungus, *Lophodermella morbida,* in ponderosa pine plantations in western Oregon. **22:223**
nematode-*Pythium* complex
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius.* **22:91**
net present value
Control theory and optimum timber rotation. **22:242**
Nigeria
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
nitrogen
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
nitrogen fertilization
Five-year volume increment from nitrogen fertilization in thinned plantations of pole-size loblolly pine. **22:85**
noble fir (*see* ***Abies procera***)
nonlinear least squares
Segmented polynomial regression applied to taper equations. **22:283**
nonwetting soils
Hydrophobicity in the soils of Findley Lake, Washington. **22:54**
northern red oak (*see* ***Quercus rubra***)
nursery cultural practices
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius.* **22:91**
nursery soils
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius.* **22:91**
nursery spacing
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
nutrient cycling
Nutrient gains to adjacent ecosystems during a forest fire: an evaluation. **22:162**
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
nutrient gains
Nutrient gains to adjacent ecosystems during a forest fire: an evaluation. **22:162**
nutrient levels
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
nutrient loss
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
nutrients
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
nutrition
Genotype × fertilizer interactions in slash pine: variation in phosphate (^{33}P) incorporation. **22:21**

Odocoileus hemionus columbianus
Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**
opepe (*see* ***Nauclea diderrichii***)
optimization
A note on the interdependence of stand structure and best stocking in a selection forest. **22:180**
optimum timber rotation
Control theory and optimum timber rotation. **22:242**
organic phosphate
Genotype × fertilizer interactions in slash pine: variation in phosphate (^{32}P) incorporation. **22:21**
outplanting
Differences in budbreak between shade-grown and open-grown oak seedlings. **22:484**
ozone effect
The effect of chronic ozone exposures on the metabolite content of ponderosa pine seedlings. **22:234**

paper birch (*see* ***Betula papyrifera***)
parent-progeny correlations
Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine. **22:461**
permanent plot analysis
Regression problems from repeated measurements. **22:382**
Persian walnut (*see* ***Juglans regia***)
Phellinus weirii
Colonization of wood disks initiated by basidiospores of *Phellinus weirii* (laminated root rot). **22:407**
phenology
Differences in budbreak between shade-grown and open-grown oak seedlings. **22:484**
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
phenotypic selection
Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine. **22:461**
phloem
Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**
phosphate
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
Phytophthera lateralis
Root grafting of Port-Orford-cedar—an infection route for root rot. **22:276**
Picea mariana
Quantitative evaluation of site potential for spruce and fir in Newfoundland. **22:131**
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. **22:33**
pileated woodpecker (*see* ***Dryocopus pileatus***)
pine forest
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
pine-hardwood forest
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
pine seedling quality
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Pinus clausa
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Pinus contorta
Leaf water potential in planted ponderosa and lodgepole pines. **22:344**
Pinus echinata
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
Pinus elliottii
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
Genotype × fertilizer interactions in slash pine: growth and nutrient relations. **22:211**
Genotype × fertilizer interactions in slash pine: variation in phosphate (^{32}P) incorporation. **22:21**
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Within-tree variation of monoterpene composition and yield in slash pine clones and families. **22:185**
Pinus monticola
An expression for the effect of aspect, slope, and habitat type on tree growth. **22:457**
Pinus palustris
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
Correlations between branch characteristics and production of female strobili in longleaf pine. **22:159**
Longleaf pine half-sib progeny test. **22:404**
Pinus ponderosa
The effect of chronic ozone exposures on the metabolite content of ponderosa pine seedlings. **22:234**
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
Epiphytology of a needle cast fungus, *Lophodermella morbida*, in ponderosa pine plantations in western Oregon. **22:223**
Leaf water potential in planted ponderosa and lodgepole pines. **22:344**
Time trends in genetic control of height growth in ponderosa pine. **22:2**
Pinus pungens
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
Pinus rigida
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
Growth analysis of pitch pine seedlings under three temperature regimes. **22:445**
Pinus strobus
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius*. **22:91**
Pinus sylvestris
Stem sway affects ring width and compression wood formation in exposed root bases. **22:193**

Pinus taeda
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
Development of loblolly pine in dense stands. **22:331**
Family variation in growth response of loblolly pine to fertilizing with urea. **22:291**
Five-year volume increment from nitrogen fertilization in thinned plantations of pole-size loblolly pine. **22:85**
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius.* **22:91**
Increasing fusiform rust resistance by intraspecific hybridization. **22:267**
Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchard. **22:386**
Relationship between crown growth and annual xylem sheath development in loblolly pine saplings. **22:247**
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
Simple competition indices and their correlation with annual loblolly pine tree growth. **22:454**
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius.* **22:13**
Thermal efficiency: a possible determinant of height growth potential in young loblolly pines. **22:279**
Pinus virginiana
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
Fertilizer and phenotypic selection increase growth and flowering of young Virginia pine. **22:461**
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius.* **22:91**
Pisolithus tinctorius
Growth and ectomycorrhizal development of pine seedlings in nursery soils infested with the fungal symbiont *Pitholithus tinctorius.* **22:91**
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius.* **22:13**
pitch pine (*see* ***Pinus rigida***)
plant growth
Thermal efficiency: a possible determinant of height growth potential in young loblolly pines. **22:279**
plant nutrients
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
plant water stress
Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings. **22:167**
Platanus occidentalis
Intensive culture of American sycamore in the Ohio River Valley. **22:338**
point density
Simple competition indices and their correlation with annual loblolly pine tree growth. **22:454**
point-process analog
Bias in the contagion analog to fire spread. **22:61**
pollen dispersal
Pollination ecology of three Rocky Mountain dwarf mistletoes. **22:473**
pollination
Pollination ecology of three Rocky Mountain dwarf mistletoes. **22:473**
polynomial regression
Segmented polynomial regression applied to taper equations. **22:283**
polyploidy
Tetraploid aspen production using unreduced pollen from triploid males. **22:329**
ponderosa pine (*see* ***Pinus ponderosa***)
Populus
Growth and yield of close-spaced, young hybrid poplar. **22:449**
Populus tremuloides
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
Tetraploid aspen production using unreduced pollen from triploid males. **22:329**
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. **22:33**
Poria obliqua
Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatment. **22:431**
Poria weirii
Colonization of wood disks initiated by basidiospores of *Phellinus weirii* (laminated root rot). **22:407**
Port-Orford-cedar (*see* ***Chamaecyparis lawsoniana***)
present value
A note on inflation and forest investments. **22:30**
price changes
A note on inflation and forest investments. **22:30**
principal component analysis
Quantitative evaluation of site potential for spruce and fir in Newfoundland. **22:131**
probabilistic models
Maximum average annual volume for managed stands. **22:69**
productivity
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
progeny test
Longleaf pine half-sib progeny test. **22:404**
pruning
Discoloration and decay associated with pruning wounds on yellow birch. **22:391**
Prunus
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
Pseudotsuga menziesii
Distribution of ectomycorrhizae in a mature Douglas-fir/larch forest soil in western Montana. **22:393**
Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings. **22:167**

Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**

Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential. **22:378**

Tree volume table growth relationships possibly affected by fertilization. **22:58**

pulpwood

Pycnometer method for obtaining wood and bark chip densities. **22:191**

pycnometer

Pycnometer method for obtaining wood and bark chip densities. **22:191**

quaking aspen (*see* ***Populus tremuloides***)

Quercus

Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**

Quercus alba

Maturation of Shumard and white oak acorns. **22:149**

Variation of starch content among and within roots of red and white oak trees. **22:468**

Quercus coccinea

Differences in budbreak between shade-grown and open-grown oak seedlings. **22:484**

Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**

Quercus prinus

Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**

Quercus rubra

Differences in budbreak between shade-grown and open-grown oak seedlings. **22:484**

Variation of starch content among and within roots of red and white oak trees. **22:468**

Quercus shumardii

Maturation of Shumard and white oak acorns. **22:149**

red oak (*see* ***Quercus rubra***)

regression model

Snowpack influences on dead fuel moisture. **22:323**

regression problems

Regression problems from repeated measurements. **22:382**

rehydration

Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential. **22:378**

release

Differences in budbreak between shade-grown and open-grown oak seedlings. **22:484**

repeated measurements

Regression problems from repeated measurements. **22:382**

resource management

An analysis of forest dynamics in the northern Georgia Piedmont. **22:307**

Rhyacionia frustrana

Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchid. **22:386**

Robinia pseudoacacia

Relationship between black locust seedling age and induction of cold hardiness. **22:208**

Rocky Mountain juniper (*see* ***Juniperus scopulorum***)

root compression wood

Stem sway affects ring width and compression wood formation in exposed root bases. **22:193**

root disease

Colonization of wood disks initiated by basidiospores of *Phellinus weirii* (laminated root rot). **22:407**

root grafting

Root grafting of Port-Orford-cedar—an infection route for root rot. **22:276**

root regenerating potential

Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**

root rot

Indicators of *Fomes annosus* root decay and bark beetle susceptibility in sapling white fir. **22:365**

Root grafting of Port-Orford-cedar—an infection route for root rot. **22:276**

root starch

Variation of starch content among and within roots of red and white oak trees. **22:468**

Salix spicatum

Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**

sampling

Diameter measurement in the line intersect method. **22:230**

Within-tree variation of monoterpene composition and yield in slash pine clones and families. **22:185**

sampling variance

Approximate sampling variance of adjusted 3P estimates. **22:173**

sand pine (*see* ***Pinus clausa***)

sapling-pole stands

Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**

scarlet oak (*see* ***Quercus coccinea***)

Scots pine (*see* ***Pinus sylvestris***)

seed germination

Self-pollination effects on seed and seedling traits in noble fir. **22:155**

seed loss

Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchid. **22:386**

seed maturation

Maturation of Shumard and white oak acorns. **22:149**

seed orchard

Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchid. **22:386**

seed pretreatment

Epicotyl and hypocotyl germination of eastern redcedar and Rocky Mountain juniper. **22:261**

seed source

Leaf water potential in planted ponderosa and lodgepole pines. **22:344**

seed weight

Self-pollination effects on seed and seedling traits in noble fir. **22:155**

seedling density

Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings. **22:167**

seedling growth

Effects of container density and plant water stress on growth and cold hardiness of Douglas-fir seedlings. **22:167**

seedling inoculation
Synthesis of ectomycorrhizae on loblolly pine seedlings with basidiospores of *Pisolithus tinctorius.* **22:13**
seedling survival
Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. **22:106**
Leaf water potential in planted ponderosa and lodgepole pines. **22:344**
Self-pollination effects on seed and seedling traits in noble fir. **22:155**
selection forest
A note on the interdependence of stand structure and best stocking in a selection forest. **22:180**
self pollination
Self-pollination effects on seed and seedling traits in noble fir. **22:155**
sewage sludge
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
shoot elongation
Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential. **22:378**
short-rotation
Growth and yield of close-spaced, young hybrid poplar. **22:449**
Intensive culture of American sycamore in the Ohio River Valley. **22:338**
shortleaf pine (*see* ***Pinus echinata***)
shrub biomass
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
Shumard oak (*see* ***Quercus shumardii***)
silage sycamore
Intensive culture of American sycamore in the Ohio River Valley. **22:338**
silviculture
Intensive culture of American sycamore in the Ohio River Valley. **22:338**
simulation
An analysis of forest dynamics in the northern Georgia Piedmont. **22:307**
Approximate sampling variance of adjusted 3P estimates. **22:173**
Simple competition indices and their correlation with annual loblolly pine tree growth. **22:454**
Simulation of forest tree mortality. **22:438**
site
An expression for the effect of aspect, slope, and habitat type on tree growth. **22:457**
site index
Quantitative evaluation of site potential for spruce and fir in Newfoundland. **22:131**
site reclamation
Sewage sludge and *Pisolithus tinctorius* ectomycorrhizae: their effect on growth of pine seedlings. **22:351**
slash burning
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
slash pine (*see* ***Pinus elliottii***)
slope
An expression for the effect of aspect, slope, and habitat type on tree growth. **22:457**
snow gum (*see* ***Eucalyptus pauciflora***)
snowpack
Snowpack influences on dead fuel moisture. **22:323**
snowshoe hare (*see* ***Lepus americanus***)
soil characteristics
Quantitative evaluation of site potential for spruce and fir in Newfoundland. **22:131**
soil chemical properties
Hydrophobicity in the soils of Findley Lake, Washington. **22:54**
soil microbiology
Distribution of ectomycorrhizae in a mature Douglas-fir/larch forest soil in western Montana. **22:393**
soil properties
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska. **22:33**
soils
Five-year volume increment from nitrogen fertilization in thinned plantations of pole-size loblolly pine. **22:85**
spacing
Growth and yield of close-spaced, young hybrid poplar. **22:449**
species comparison
Comparative response of four southern pine species to fertilization: Effect of P, NP, and NPKMgS applied at planting. **22:487**
spore infection
Colonization of wood disks initiated by basidiospores of *Phellinus weirii* (laminated root rot). **22:407**
starch content
Variation of starch content among and within roots of red and white oak trees. **22:468**
steady-state control
Control theory and optimum timber rotation. **22:242**
stem decay control
Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatment. **22:431**
stem shape
Tree volume table growth relationships possibly affected by fertilization. **22:58**
sterile conk
Basidiocarp development in *Inonotus obliquus* and its inhibition by stem treatment. **22:431**
stomatal resistance
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
strobili
Correlations between branch characteristics and production of female strobili in longleaf pine. **22:159**
subalpine soils
Hydrophobicity in the soils of Findley Lake, Washington. **22:54**
succession
An analysis of forest dynamics in the northern Georgia Piedmont. **22:307**
Effects of fire on pine and pine-hardwood forests in the southern Appalachians. **22:399**
sugar maple (*see* ***Acer saccharum***)
symbionts
Quantitative aspects of the association of *Cenococcum graniforme* with *Fagus grandifolia* in Indiana. **22:127**

taper equations
Segmented polynomial regression applied to taper equations. **22:283**
teak (*see* ***Tectona grandis***)
Tectona grandis
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
temperature
Growth analysis of pitch pine seedlings under three temperature regimes. **22:445**
Thermal efficiency: a possible determinant of height growth potential in young loblolly pines. **22:279**
Terminalia ivorensis
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
tetraploid
Tetraploid aspen production using unreduced pollen from triploid males. **22:329**
Tetrya bipunctata
Loblolly pine conelet, cone, and seed losses to insects and other factors in a Louisiana seed orchid. **22:386**
theoretical model
Snowpack influences on dead fuel moisture. **22:323**
thermal efficiency
Thermal efficiency: a possible determinant of height growth potential in young loblolly pines. **22:279**
thinning
Effect of thinning and slash burning on nitrogen and carbon in ecosystems of young dense ponderosa pine. **22:45**
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
3P estimates
Approximate sampling variance of adjusted 3P estimates. **22:173**
timber production
Maximum average annual volume for managed stands. **22:69**
tracheids
Relationship between crown growth and annual xylem sheath development in loblolly pine saplings. **22:247**
translocation
Seasonal dynamics of tall shrubs in northeastern Minnesota: biomass and nutrient element changes. **22:195**
transpiration
Differing diffusive resistance and leaf development may cause differing transpiration among hardwoods in spring. **22:359**
tree-area ratio
Specification of density for the inverse J-shaped diameter distribution. **22:177**
tree growth
Time trends in genetic control of height growth in ponderosa pine. **22:2**
tree improvement programs
A goal programming model to guide and evaluate tree improvement programs. **22:417**
tree vigor
Resistances to a pulsed electrical current reveal differences between nonreleased, released, and released-fertilized paper birch trees. **22:471**
Variation of starch content among and within roots of red and white oak trees. **22:468**
triploid
Tetraploid aspen production using unreduced pollen from triploid males. **22:329**
tropical hardwood seedlings
Size and physiological grades of some hardwood seedlings produced under different nursery spacings in Nigeria. **22:301**
uneven-aged management
A note on the interdependence of stand structure and best stocking in a selection forest. **22:180**
uneven-aged stands
Specification of density for the inverse J-shaped diameter distribution. **22:177**
unreduced pollen
Tetraploid aspen production using unreduced pollen from triploid males. **22:329**
Virginia pine (*see* ***Pinus virginiana***)
volume increment
Five-year volume increment from nitrogen fertilization in thinned plantations of pole-size loblolly pine. **22:85**
volume table
Tree volume table growth relationships possibly affected by fertilization. **22:58**
walnut bunch
Mycoplasmalike organism found in the phloem of bunch-diseased walnuts. **22:144**
water drop penetration time
Hydrophobicity in the soils of Findley Lake, Washington. **22:54**
water potential
Measuring short-term shoot elongation of Douglas-fir seedlings in relation to increasing water potential. **22:378**
water relations
Leaf water potential in planted ponderosa and lodgepole pines. **22:344**
western white pine (*see* ***Pinus monticola***)
white fir (*see* ***Abies concolor***)
white oak (*see* ***Quercus alba***)
white pine (*see* ***Pinus strobus***)
wood density
Pycnometer method for obtaining wood and bark chip densities. **22:191**
wood fire chemicals
Chemicals in vapors of smoldering wood fires. **22:81**
woodpecker habitat
Discriminant function analysis: a possible aid in determining the impact of forest management on woodpecker nesting habitat. **22:122**
xylem development
Relationship between crown growth and annual xylem sheath development in loblolly pine saplings. **22:247**
xylem oleoresin
Within-tree variation of monoterpene composition and yield in slash pine clones and families. **22:185**
yellow birch (*see* ***Betula alleghaniensis***)
yield
Development of loblolly pine in dense stands. **22:331**
Growth and yield of close-spaced, young hybrid poplar. **22:449**
Simple competition indices and their correlation with annual loblolly pine tree growth. **22:454**

Author Index[1]

ADAMS, DARIUS M., 22:180
ADKISSON, CURTIS S., 22:122
ALLEN, D. C., 22:412
ALLEN, VIRGIL A., 22:106
ANDERSON, F. J., 22:242

BALDWIN, V. C., 22:344
BARDEN, LAWRENCE S., 22:399
BARNEY, C. W., 22:344
BECKWITH, JULIAN R., III, 22:247
BELANGER, ROGER P., 22:461
BENGTSON, G. W., 22:487
BERRY, CHARLES R., 22:351
BIXBY, JAMES A., 22:208
BLANCHARD, ROBERT, 22:471
BONNER, F. T., 22:149
BOWERSOX, T. W., 22:449
BOYER, WILLIAM W., 22:279
BRAMLETT, DAVID L., 22:461
BRANDER, R. B., 22:195
BRODIE, J. D. (rev.), 22:222
BROWN, GREGORY N., 22:208
BROWN, LLOYD M., 22:33
BRYAN, WILLIAM C., 22:91
BURKHART, HAROLD E., 22:283

CARPENTER, STANLEY B., 22:338
CLAYTON, JAMES L., 22:162
CONKLE, M. T., 22:2
CONNER, RICHARD N., 22:122
CONVERY, FRANK J. (rev.), 22:322
CORDELL, CHARLES E., 22:91
CRUTCHFIELD, D. M., 22:85

DANIELS, RICHARD F., 22:454
DAVEY, C. B., 22:291
DENEKE, FREDERICK J., 22:33
DIMOCK, EDWARD J., II, 22:106
DJAVANSHIR, KARIM, 22:261
DUNCAN, H. J., 22:267

EINSPAHR, DEAN, 22:329

FAYLE, D. C. F., 22:193
FECHNER, GILBERT H., 22:261
FEDERER, C. A., 22:359
FERRELL, GEORGE T., 22:365
FLEWELLING, JAMES W., 22:58
FLICK, WARREN A., 22:30
FRANKLIN, E. C., 22:185
FRANKLIN, JERRY F., 22:155

GARA, R. I., 22:100
GERHOLD, HENRY D. (rev.), 22:300
GILL, A. M., 22:269; (rev.) 22:444
GODDARD, R. E., 22:21; 22:211
GOOD, N. F., 22:445
GOOD, R. E., 22:445
GORDON, DONALD E., 22:276
GOYER, RICHARD A., 22:386
GRIGAL, D. F., 22:195
GROSENBAUGH, L. R., 22:173

HALL, T., 22:370
HARDER, MARIANNE L., 22:191; 22:329
HARMS, WILLIAM R., 22:331
HARVEY, A. E., 22:393
HARVEY, GEORGE M., 22:223
HAWKSWORTH, FRANK G., 22:473
HEDDEN, R. L., 22:100
HOLBO, H. RICHARD, 22:378
HOLLETT, BYRON P., 22:127

JACKSON, M. T., 22:127
JAHROMI, S. T., 22:21; 22:211
JOHNSON, W. CARTER, 22:307
JURGENSEN, M. F., 22:393

KAUFMANN, MERRILL R. (rev.), 22:104
KLEMMEDSON, J. O., 22:45
KOURTZ, PETER, 22:61

LANGDON, O. GORDON, 22:331
LARSEN, M. J., 22:393
LEMBERSKY, MARK R., 22:69
LEONARD, DAVID E. (rev.), 22:437

MCCAMMON, BRUCE P., 22:323
MCGEE, CHARLES E., 22:484
MALLORY, WILLIAM R., 22:81
MARX, DONALD H., 22:13; 22:91; 22:351
MAX, TIMOTHY A., 22:283
MONSERUD, ROBERT A., 22:438
MOSER, JOHN W., JR., 22:177

NACHOD, LOTHAR H., 22:386
NAMKOONG, G., 22:2; 22:291
NELSON, EARL E., 22:407
NOZAKI, SHIRLEY, 22:61
NWOBOSHI, L. CHELUNOR, 22:301

OHMANN, L. F., 22:195
O'REGAN, WILLIAM G., 22:61

PAGE, G., 22:131
PENNFIELD, FREDERICK B., 22:473
POOK, E. W., 22:370
PORTERFIELD, RICHARD LEE, 22:417
POWERS, H. R., JR., 22:267

REYNOLDS, MARION R., JR., 22:382
ROBERDS, J. H., 22:291
ROTH, LEWIS F., 22:276

SAFFORD, L. O., 22:471
SELISKAR, CARL E., 22:144
SHACKELFORD, LOIS S., 22:247
SHARPE, DAVID M., 22:307
SHIGO, ALEX L., 22:391; 22:471
SILEN, ROY R., 22:106
SINGER, MICHAEL J., 22:54
SMITH, DESMOND E., 22:471
SMITH, RICHARD S., JR., 22:365
SMITH, W. H., 22:21; 22:211
SNYDER, E. B., 22:404
SOLOMON, DALE S., 22:391
SORENSEN, FRANK C., 22:155
STAGE, A. R., 22:457
STANDLEY, CAROL, 22:234
STETTLER, R. F. (rev.), 22:290
STEVENS, ROBERT E., 22:473
SULLIVAN, ALFRED D., 22:382

TANAKA, YASUOMI, 22:167
TIMMIS, ROGER, 22:167
TINGEY, DAVID T., 22:234
TREW, I. F., 22:85
TROTH, JOHN L., 22:33
TUNSTALL, B. R., 22:269

UGOLINI, F. C., 22:54

VAN METER, WAYNE P., 22:81
VAN WAGNER, C. E., 22:230
VARNELL, R. J., 22:159
VERHAGEN, SHIRLEY, 22:329
VIERECK, LESLIE A. (rev.), 22:103

WADSWORTH, FRANK H. (rev.), 22:84
WALKER, J., 22:269
WARD, W. W., 22:449
WARGO, PHILIP M., 22:468
WELLS, CAROL G., 22:85
WELLS, O. O., 22:404
WILHOUR, RAYMOND G., 22:234
WILSON, A. L., 22:230
WINTON, LAWSON, 22:329
WITTWER, ROBERT F., 22:338
WOOD, BRUCE W., 22:338
WOODS, FRANK W., 22:399
WOOLLARD, ROBERT, 22:155

YANG, YONG CHI, 22:58

ZABEL, ROBERT A., 22:431
ZAERR, JOE B., 22:378

[1] (rev.) = book review